



BAGONG PILIPINAS



DEPARTMENT OF AGRICULTURE  
Masaganang Agrikultura,  
Masunlad na Ekonomiya

November 23, 2023

Republic of the Philippines  
**DEPARTMENT OF AGRICULTURE**  
Regional Field Office 13  
Capitol Site Butuan City 8600

**SUPPLEMENTAL BID BULLETIN NO. 2023- 022**

This is to inform **ALL PROSPECTIVE BIDDERS** that the Invitation to Bid posted last November 14, 2023 for the **Procurement of Various Laboratory Equipment - Short of Award (A51)** under Reference No. **10315176** with a total ABC of **Ten Million Pesos Only (₱ 10,000,000.00)** has the following amendment:

Bid Document	Supplemental
<p><b>Section II. Instructions to Bidders</b> <u>Clause: 5.3</u> Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:</p> <p>a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.</p> <p><b>Section VI. Schedule of Requirements</b> Date of Delivery: 45 days from the date of NTP</p> <p><b>Section VII. Technical Specifications</b></p> <ul style="list-style-type: none"> <li>● Two (2) Units Kjeldahl Digestion Unit with Distillation System</li> <li>-Under Automated Digestion Sytem: AVR 3kVA</li> <li>-Under Distillation Sytem: AVR 5kVA</li> </ul>	<p><b>Section II. Instructions to Bidders</b> <u>Clause: 5.3</u> Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:</p> <p><b>C. The Bidder should comply with the following requirements:</b> <i>Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies] of the ABC for this Project</i></p> <p><b>Section VI. Schedule of Requirements</b> Date of Delivery: 60 days from the date of NTP</p> <p><b>Section VII. Technical Specifications</b></p> <ul style="list-style-type: none"> <li>● Two (2) Units Kjeldahl Digestion Unit with Distillation System</li> <li>-Under Automated Digestion Sytem: AVR 10kVA</li> <li>-Under Distillation Sytem: UPS 10kVA</li> <li>● One (1) Unit High Performance Microwave Digestion System</li> </ul> <p><b>Additional: - AVR 10kVA</b></p>

This supplemental bid bulletin shall be posted at the DA-Caraga and PhilGEPS official websites and at the Office Bulletin Board for the information and guidance of all interested parties and shall form as an integral part of the Bid Documents for the said project.

**Sgd. JOHNNY M. CONCON**  
BAC Chairperson